

T.S.B

TOP 50

CATALOG

TOOLS AND ACCESSORIES



YOUR PARTNER TOOLING

adv@tsbfrance.com / +33 (0) 231 666 827

www.tsbfrance.com



TOP 50

Sawing.....	p. 5
Drilling.....	p. 9
Routing.....	p. 13
Milling.....	p. 17
Grooving.....	p. 21
Polishing.....	p. 25
Profiling.....	p. 31
Tool holder.....	p. 35



SAWING

DRILLING

ROUTING

MILLING

GROOVING

POLISHING


PROFILING

TOOL HOLDER

TOP 50

SAWING

SAW BLADE Ø400 - SEGMENT 40X3.6X7 - BORE Ø50/Ø60- MARBLE / HARD STONE



Ø : 350 / L : / Ep : 3.6 / Lc : 7

Specific disc for use with marble, hard stone and for high cutting speed. Only suitable for current machines equipped with disc rotation variator, amperometric control, abundant watering system on the cutting position and a working table in perfect condition.

GRANITE

Fixing : Ø50

023885

SILENT SAW BLADE Ø400 - ATTACHMENT BORE Ø50/60 - GRANITEE / QUARTZ



Ø : 400 / L : / Ep : 3.3 / Lc : 7


Segmented saw blade for GRANITEe. Allows perfect, splinter-free cuts.

GRANITE

Fixing : Ø50

020414

SAW BLADE Ø400 - ATTACHMENT BORE Ø50/60 - QUARTZITE



Ø : 400 / L : / Ep : 3 / Lc :

Specific disc for use with quartzite and for high cutting speed. Suitable only for current machines equipped with disc rotation variator and amperometric control, abundant watering system on the cutting position and a working table in perfect condition.

QUARTZITE

Fixing : Ø50

023923

SAW BLADE Ø350 - ATTACHMENT BORE Ø50/60 CERAMIC / DEKTON



Ø : 350 / L : / Ep : 3 / Lc : 15

Specific disc for ceramics and Dekton, for high cutting speed. Suitable only for machines with disc rotation variators and amperometric control, an abundant watering system on the cutting position and a working table in perfect conditions.

DEKTON/CERAMIC

Fixing : Ø50

021357

SAW BLADE Ø400 - ATTACHMENT BORE Ø50/Ø60- MARBLE / HARD STONE




Ø : 400 / L : / Ep : 3.6 / Lc : 7

Specific disc for use with marble, hard stone and for high cutting speed. Only suitable for current machines equipped with disc rotation variator, amperometric control, abundant watering system on the cutting position and a working table in perfect condition.

STONE

Fixing : Ø50

019623



SAWING

DRILLING

ROUTING

MILLING

GROOVING

POLISHING

PROFILING

TOOL HOLDER

TOP 50

DRILLING

MONOLITIC CORE DRILL Ø8 X 10 - L55 - 1/2 GAS ATTACHMENT - GRANITEE /



Ø : 8 / L : 55 / Ep : 10 / Lc : 10

Ideal drill for making blind holes for the positioning of inserts. Slit on the side to optimize the drilling. The central coolant system ensures the optimum cooling of your tool.

GRANITE

Fixing : 1/2 GAZ

018247

THIN TRACK CORE DRILL Ø22 - L55 - 1/2 GAS ATTACHMENT - GRANITEE / QUARTZ



Ø : 22 / L : 55 / Ep : / Lc : 55

Diamond core drill with thin track. Allows you to drill with less effort and less chipping.

GRANITE

Fixing : 1/2 GAZ

018738

THIN TRACK CORE DRILL Ø35 - L55 - 1/2 GAS ATTACHMENT - GRANITEE / QUARTZ



Ø : 35 / L : 55 / Ep : 1 / Lc : 55

Diamond core drill with thin track. Allows you to drill with less effort and less chipping.

GRANITE

Fixing : 1/2 GAZ

018742

THIN TRACK CORE DRILL Ø35 - L55 - 1/2 GAS ATTACHMENT - DEKTON / CERAMIC



Ø : 35 / L : 55 / Ep : 1 / Lc : 35

Diamond core drill with continuous rim.

DEKTON

Fixing : 1/2 GAZ

019309

DRILL Ø35 L55 EVOGRES - 1/2 GAS ATTACHMENT - DEKTON / CERAMIC




Ø : 35 / L : 55 / Ep : / Lc : 55

Continuous rim diamond drill EVOGRES For use with ceramic and DEKTON materials EVOGRES series

DEKTON

Fixing : 1/2 GAZ

022659



SAWING

DRILLING

ROUTING

MILLING

GROOVING

POLISHING

PROFILING

TOOL HOLDER

TOP 50

ROUTING

INCREMENTAL ROUTER Ø6×15 - 1/2 GAS ATTACHMENT - GRANITEE / QUARTZ



Ø : 6 / L : 15 / Ep : / Lc : 15

Incremental router for machining hobs or sinks to fit flush with the worktop. It also allows, in solid machining, to cut out small surfaces or the roughing of bas-reliefs.

GRANITE

Fixing : 1/2 GAZ

018657

INCREMENTAL ROUTER Ø8×15 - 1/2 GAS ATTACHMENT - GRANITEE / QUARTZ



Ø : 8 / L : 15 / Ep : / Lc : 15

Incremental routing cutter for machining hobs or sinks to fit flush with the worktop. It also allows, in solid machining, to cut out small surfaces or the roughing of bas-reliefs.

GRANITE

Fixing : 1/2 GAZ

018658

INCREMENTAL ROUTER Ø6×10 - 1/2 GAS ATTACHMENT - DEKTON / CERAMIC



Ø : 6 / L : 10 / Ep : / Lc : 10

Special DEKTON incremental routing cutter which allows for the machining of hobs or sinks to fit flush with the worktop.

DEKTON

Fixing : 1/2 GAZ

019895

INCREMENTAL ROUTER Ø8×10 - 1/2 GAS ATTACHMENT - DEKTON / CERAMIC



Ø : 8 / L : 10 / Ep : / Lc : 10

Special DEKTON incremental routing cutter which allows for the machining of hobs or sinks to sit flush with the worktop.

DEKTON

Fixing : 1/2 GAZ

019896

ROUTING CUTTER Ø22 L35 PURPLE - 1/2 GAS ATTACHMENT - GRANITEE / QUART-



Ø : 22 / L : 35 / Ep : / Lc : 35

Ultra-High Speed Routing Cutter with central cooling for all GRANITEes.

GRANITE/QUARTZITE

Fixing : 1/2 GAZ

022161

TOP 50

ROUTING

ROUTING CUTTER Ø22 L35 - 1/2 GAS ATTACHMENT - GRANITEE / QUARTZ



Ø : 22 / L : 35 / Ep : 35 / Lc : 35

Ultra-High Speed Routing Cutter with central cooling for all GRANITEEs.

GRANITE

Fixing : 1/2 GAZ

022162

ROUTING CUTTER Ø23 L40 - 1/2 GAS ATTACHMENT - QUARTZITE



Ø : 23 / L : 40 / Ep : 40 / Lc : 40

Special ceramic and QUARTZITE routing cutter. Allows routing in full pass.

QUARTZITE

Fixing : 1/2 GAZ

024283

ROUTING CUTTER Ø23 L35 - 1/2 GAS ATTACHMENT - DEKTON / CERAMIC



Ø : 23 / L : 35 / Ep : 35 / Lc : 35

Routing Cutter with central cooling for ceramic and DEKTON.

DEKTON

Fixing : 1/2 GAZ

022655

ROUTING CUTTER Ø20 - ARBOR L100 MM - 1/2 GAS ATTACHMENT - GRANITE



Ø : 20 / L : 115 / Ep : 0 / Lc : 15

Milling cutter under chuck for all granites. It allows for multi-pass routing on a manual machine.

020703 - ROUTING CUTTER Ø20 L20 - ATTACHMENT M12 MALE - GRANITE
012568 - ARBOR ROUTING CUTTER Ø20 LENGTH 100 - 1/2 GAS M12

GRANITE

Fixing : 1/2 GAZ

K0000 486

ROUTING CUTTER Ø20 - ARBOR L30 - 1/2 GAZ ATTACHMENT - CERAMIC/DEKTON



Ø : 20 / L : 45 / Ep : 30 / Lc : 15

EVOGRES special ceramic and DEKTON milling cutter. Allows multi-pass routing.

025470 - ROUTING CUTTER Ø20 -M10 MALE DEKTON / CERAMIC
025469 - ARBOR ROUTING Ø16 M10 L30 ATTACHMENT 1/2 GAS

DEKTON

Fixing : 1/2 GAZ

K0000 599



SAWING

DRILLING

ROUTING

MILLING

GROOVING

POLISHING

PROFILING

TOOL HOLDER

TOP 50

MILLING

STUBBING WHEEL Ø54X25 UHS - BORE Ø14 (3/Ø25) - GRANITE/QUARTZ



Ø : 54 / L : 25 / Ep : 7 / Lc : 25

Solid roughing cutter for NC (reversible), fast machining for rough-grinding surfaces for all major roughing work (solid shower tray, recessed...).

GRANITE

Fixing : **SCREW**

017295

STUBBING WHEEL Ø91X30 UHS - BORE Ø50 (3/Ø63) - GRANITE/QUARTZ



Ø : 91 / L : 30 / Ep : 7 / Lc : 30

Solid roughing cutter for NC (reversible), fast machining for rough-grinding surfaces for all major roughing work (solid shower tray, recessed...).

GRANITE

Fixing : **SCREW**

016993

SURFACING WHEEL Ø150X15 - ROUGHING - BORE Ø60 (6/Ø100) - GRANITE



Ø : 150 / L : 30 / Ep : 7 / Lc : 30

Solid roughing cutter for CNC and manual machines Reversible milling cutter Fast machining for the roughing of surfaces suitable for all large roughing works (solid sink, sculptures, mouldings, etc...)

GRANITE

Fixing : **SCREW**

009321

MILLING WHEEL Ø200X15 - ROUGHING - BORE Ø60 (6/Ø100) - GRANITE



Ø : 200 / L : 15 / Ep : 5 / Lc : 15

Solid roughing milling cutter for CNC machine and manual machine. Reversible cutter. Rapid machining for roughing surfaces for all heavy roughing work (solid sink, sculpture, molding, etc.).

GRANITE

Fixing : **SCREW**

025087

ENGRAVING CUTTER FOR WRITING 0.5 × 60° PCD - FIXING Ø10 - ALL STONES



Ø : 10 / L : 25 / Ep : / Lc : 3

The cutter tips are made of PCD (Poly Crystalline Diamond) which improves the accuracy and tool life.

GRANITE

Fixing : **Ø10**

019386



SAWING

DRILLING

ROUTING

MILLING

GROOVING

POLISHING

PROFILING

TOOL HOLDER

TOP 50

GROOVING

SET OF 4 GROOVING CUTTERS Ø12 MM - ATTACHMENT 1/2 GAS - GRANITE/QUARTZ



Ø : 12 / L : 6 / Ep : 6 / Lc : 6

Ø12 mm grooving fingers for making grooves (drainboards, wall decorations, designs, etc.) on granite or quartz.

019065 - FLUTING BIT Ø12 R6 - POS 1 - 1/2 GAS FASTENING - GRANITE / QUARTZ
019066 - FLUTING BIT Ø12 R6 - POS 2 - 1/2 GAS FASTENING - GRANITE / QUARTZ
019067 - FLUTING BIT Ø12 R6 - POS 3 - 1/2 GAS FASTENING - GRANITE / QUARTZ
019068 - FLUTING BIT Ø12 R6 - POS 4 - 1/2 GAS FASTENING - GRANITE / QUARTZ

GRANITE

Fixing : 1/2 GAZ

K0000 338

SET OF 4 GROOVING CUTTERS Ø12 MM - ATTACHMENT 1/2 GAS - DEKTON



Ø : 12 / L : 6 / Ep : 6 / Lc : 6

Ø12 mm grooving fingers for making grooves on DEKTON or ceramic.

019902 - FLUTING BIT Ø12 R6 - POS 1 - 1/2 GAS FASTENING - DEKTON
019903 - FLUTING BIT Ø12 R6 - POS 2 - 1/2 GAS FASTENING - DEKTON
019957 - FLUTING BIT Ø12 R6 - POS 3 - 1/2 GAS FASTENING - DEKTON
019958 - FLUTING BIT Ø12 R6 - POS 4 - 1/2 GAS FASTENING - DEKTON

DEKTON

Fixing : 1/2 GAZ

K0000 416

SET OF 3 BLADES OF GROOVING Ø128×10 FOR ANGLE DRIVE - GRANITE/QUARTZ



Ø : 128 / L : 5 / Ep : 10 / Lc : 5

Set up on Modulo, these discs provide a polished finish. Only straight grooves are possible.

026797 - GROOVING DISC Ø128X5 ROUGH BORE FIXING Ø22.2 GRANITE/ COMPOSITE
026798 - GROOVED DISC Ø128X5 P2 - BORE Ø22.2 GRANITE/ COMPOSITE FASTENING
026799 - GROOVED DISC Ø128X5 P3 - BORE Ø22.2 - GRANITE/ COMPOSITE

GRANITE

Fixing : Ø22.5

K0000 619



SAWING

DRILLING

ROUTING

MILLING

GROOVING

POLISHING

PROFILING

TOOL HOLDER

TOP 50

POLISHING

MILLING AND POLISHING SET WITH ROLLERS Ø78 - HEIGHT 170 - BT40(G)



Ø : 78 / L : 170 / Ep : / Lc : 170

Milling and polishing kit with rollers height 200 for automatic tool change on a CN machine. WARNING : These rollers are incompatible on models T812 V1 to V4.


A400 00 00 094 - METAL MILLING CUTTER Ø80 - L170 - POS 1 - ROUGHING - MOUNTED ON BT40 TOOL HOLDER
 A400 00 00 093 - METAL MILLING CUTTER Ø80 - L170 - POS 2 - HONED - MOUNTED ON BT40 TOOL HOLDER
 A400 00 00 095 - METAL MILLING CUTTER Ø80 - L170 - POS 3 - SEMI-FINISHING - MOUNTED ON BT40 TOOL HOLDER
 023430 - POLISHING DRUM L170 Ø78 - GRIT 600 - RECESSED CLAMPING
 023431 - POLISHING DRUM L170 Ø78 - GRIT 1000 - RECESSED CLAMPING
 023432 - POLISHING DRUM L170 Ø78 - GRIT 2000 - RECESSED CLAMPING
 023433 - POLISHING DRUM L170 Ø78 - GRIT 3000 - RECESSED CLAMPING
 023434 - POLISHING DRUM L170 Ø78 - FELT - RECESSED CLAMPING

GRANITE

Fixing : Ø43

K0000 347

POLISHING TOOL START SET SATELLITE HEAD Ø90/100 WHEEL - GRANITE(G)



Ø : 200 / L : 25 / Ep : / Lc : 25

Starter set with minimum wheel quantity for each grain.


3x 026562 - RESIN WHEEL Ø100 H40 - GRIT 30D FRF ATTACHMENT - GRANITE
 3x 022330 - Ø100 N°120 WHEEL WITH FRF LOW ATTACHMENT
 3x 023438 - Ø100 N°320 WHEEL WITH FRF LOW ATTACHMENT
 3x 022332 - Ø100 N°800 WHEEL WITH FRF LOW ATTACHMENT
 3x 022334 - Ø100 BUFFER WHEEL WITH FRF LOW ATTACHMENT

GRANITE

Fixing : FRF

K0000 615

POLISHING TOOL START SET SATELLITE HEAD Ø90/100 WHEEL - BLACK GRANITE +



Ø : 200 / L : 35 / Ep : / Lc : 35

Starter set with minimum wheel quantity for each grain.


3x 026562 - RESIN WHEEL Ø100 H40 - GRIT 30D FRF ATTACHMENT - GRANITE
 3x 028187 - RESIN WHEEL Ø100 H40 - GRIT 60M - FRF ATTACHMENT - BLACK GRANITE
 3x 026563 - WHEEL Ø100 H40 - GRIT 200 FRF ATTACHMENT - GRANITE
 3x 026564 - WHEEL Ø100 H40 - GRIT 400 FRF ATTACHMENT - GRANITE
 3x 026565 - WHEEL Ø100 H50 GRIT 800 FRF ATTACHMENT - GRANITE
 3x 028191 - WHEEL Ø100 H50 - GRIT 1200 - FRF ATTACHMENT - BLACK GRANITE
 3x 028192 - BUFFER WHEEL Ø100 H20 - FRF ATTACHMENT - BLACK GRANITE

GRANITE

Fixing : FRF

K0000 637

FLAT POLISHING SET FOR RC3 HEAD WITH SEGMENTS DIAMOND RESIN - L140 - ALL GRANITES



Ø : 200 / L : 140 / Ep : / Lc : 35

Starter set with minimum wheel quantity for each grain.

028111 - SEGMENT FICKERT RESINE DIAMANTE L140 - GRAIN 60M GRANIT
 028112 - SEGMENT FICKERT RESINE DIAMANTE L140 - GRAIN 120S GRANIT
 028113 - SEGMENT FICKERT RESINE DIAMANTE L140 - GRAIN 400S GRANIT
 028114 - SEGMENT FICKERT RESINE DIAMANTE L140 - GRAIN 800S GRANIT
 028115 - SEGMENT FICKERT RESINE DIAMANTE L140 - GRAIN 1200S GRANIT
 028116 - FICKERT SEGMENT RESINE DIAMANTE L140 - GRANITE FELT

GRANITE

Fixing : FIKER

K0000 631

TOP 50

POLISHING

SET OF INTERNAL AND EXTERNAL STRAIGHT EDGE - MODULO V1 AND V2 - GRANITE



Ø : 125 / L : / Ep : 5 / Lc : 5

Granite milling and polishing kit with Ø125 mm grinding wheels. A return angle of 1° on the outside diameter of the grinding wheel allows you to reach the corner edges. This tool kit is used with the MODULO angle drive. For kitchen tops, it is used for milling and polishing of the inside square sinks and outside straight edges. For memorials, it allows vertical edge polishing with an edge corner equal to or greater than 90°.

GRANITE

Fixing : **VISSERIE**

K0000 238

017293 - STUBBING WHEEL Ø130×18×6 Ø130×18×6 - 18 SEGMENTS - Ø60 BORE - GRANITE
 017286 - DIAMOND WHEEL Ø125 - AUTOMATIC CHANGE - GRIT 120 - GRANITE
 017288 - DIAMOND WHEEL Ø125 - AUTOMATIC CHANGE - GRIT 400 - GRANITE
 017289 - DIAMOND WHEEL Ø125 - AUTOMATIC CHANGE - GRIT 800 - GRANITE
 017290 - DIAMOND WHEEL Ø125 - AUTOMATIC CHANGE - GRIT 1500 - GRANITE
 017291 - DIAMOND WHEEL Ø125 - AUTOMATIC CHANGE - GRIT 3000 - GRANITE

POLISHING SET FOR UPPER ARISES Ø100MM PAD



Ø : 100 / L : / Ep : 4 / Lc : 3

Kit for polishing the upper edges of stelae with 4 flexible Ø100mm diamonds without a central bore.

GRANITE

Fixing : **VELCRO**

K0000 348

017302 - FLEXIBLE DIAMOND Ø100 mm - GRIT 200 - WITHOUT BORE
 017304 - FLEXIBLE DIAMOND Ø100 mm - GRIT 800 - WITHOUT BORE
 017305 - FLEXIBLE DIAMOND Ø100 mm - GRIT 1500 - WITHOUT BORE
 017299 - FLEXIBLE DIAMOND Ø100 mm - FELT - WITHOUT BORE

SET OF POLISHING TOOLS FOR UPPER AND LOWER ARISES 45° - 3 POS (G)



Ø : 130 / L : / Ep : 25 / Lc : 25

SET OF POLISHING TOOLS FOR UPPER AND LOWER ARISES WHEELS 45° - STANDARD - 3 POS (G)

GRANITE

Fixing : **Ø35**

K0000 410

023204 - METAL MILLING CUTTER Ø130 45° - SEMI-FINISHING - Ø35 BORE FASTENING - GRANITE
 023205 - RESIN WHEEL Ø130 45° - GRIT 1000 - Ø35 BORE ATTACHMENT - GRANITE
 023206 - RESIN WHEEL Ø130 45° - FELT - Ø35 BORE FASTENING - GRANITE

POLISHING SET SNAIL FITTING BRICK Ø120 FLATE EDGES + ARISES - 5 POS G



Ø : 125 / L : 35 / Ep : / Lc : 35

Kit for polishing flat edges smaller than 40 mm and different shapes.
 The 400R wheel is used to roughen the edge.

GRANITE

Fixing : **FRF**

K0000 603

020499 - SNAIL FITTING BRICK Ø 120 400R
 017526 - SNAIL FITTING BRICK Ø 120 - GRIT 120
 017528 - SNAIL FITTING BRICK Ø120 - GRIT 400
 017529 - SNAIL FITTING BRICK Ø120 N°800
 017530 - SNAIL FITTING BRICK Ø120 - FELT

TOP 50

POLISHING

SET OF POLISHING WITH 4 FRANKFURT SEGMENTS - 5 POSITIONS - MARBLE



Ø : 350 / L : / Ep : / Lc : 15

SET OF POLISHING WITH 4 FRANKFURT SEGMENTS - 5 POSITIONS - HIGH QUALITY - MARBLE


4x 020119 - FRANKFURT SEGMENT - GRIT 120 - HIGH QUALITY - MARBLE
4x 020120 - FRANKFURT SEGMENT - GRIT 220 - HIGH QUALITY - MARBLE
4x 020121 - FRANKFURT SEGMENT - GRIT 400 - HIGH QUALITY - MARBLE
4x 020122 - FRANKFURT SEGMENT - GRIT 800 - HIGH QUALITY - MARBLE
4x 020125 - FRANKFURT SEGMENT - EXTRA FELT - MARBLE

MARBLE

Fixing : **FRANKFURT**

K0000 624

SET OF AGED FINISHING BRUSHES FOR 4 SEGMENTS FRANKFURT PLATE



Ø : 350 / L : / Ep : / Lc : 30


Brushing kit that allows to achieve a more or less pronounced deformation depending on the hardness of granite, which visually and to the touch gives an aged appearance.

4x 020378 - DIAMOND BRUSH - GRIT 30 5CS - ATTACHMENT FRANKFURT
4x 020379 - DIAMOND BRUSH - GRIT 60 5CS - ATTACHMENT FRANKFURT
4x 020380 - DIAMOND BRUSH - GRIT 120 5CS - ATTACHMENT FRANKFURT
4x 020381 - DIAMOND BRUSH - GRIT 220 5CS - ATTACHMENT FRANKFURT
4x 020383 - DIAMOND BRUSH - GRIT 400 5CS - ATTACHMENT FRANKFURT
4x 020384 - DIAMOND BRUSH - GRIT 800 5CS - ATTACHMENT FRANKFURT

GRANITE

Fixing : **FRANKFURT**

K0000 228



SAWING

DRILLING

ROUTING

MILLING

GROOVING

POLISHING

PROFILING

TOOL HOLDER

TOP 50

PROFILING

SET OF ZS30-2 PROFILE TOOLS Ø20 - ATTACHMENT 1/2 GAS - GRANITE / QUARTZ



Ø : 20 / L : 35 / Ep : 35 / Lc : 35

018706 - PROFILE CUTTER ZS30-2 Ø20 - POS 1 - 1/2 GAS FASTENING - GRANITE / QUARTZ
 018707 - PROFILE CUTTER ZS30-2 Ø20 - POS 2 - 1/2 GAS FASTENING - GRANITE / QUARTZ
 018708 - PROFILE CUTTER ZS30-2 Ø20 - POS 3 - 1/2 GAS FASTENING - GRANITE / QUARTZ
 018709 - PROFILE CUTTER ZS30-2 Ø20 - POS 4 - 1/2 GAS FASTENING - GRANITE / QUARTZ
 018710 - PROFILING WHEEL ZS30-4 Ø20 - POS 6 - 1/2 GAS FASTENING - GRANITE / QUARTZ
 018711 - PROFILING WHEEL ZS30-4 Ø20 - POS 7 - 1/2 GAS FASTENING - GRANITE / QUARTZ

GRANITE

Fixing : 1/2 GAZ

K0000 340

SET OF Z40 PROFILE TOOLS Ø20 - ATTACHMENT 1/2 GAS - GRANITE / QUARTZ



Ø : 20 / L : 45 / Ep : 45 / Lc : 45

018153 - PROFILE CUTTER Z40 Ø20 - POS 1 - 1/2 GAS FASTENING - GRANITE / QUARTZ
 018154 - PROFILE CUTTER Z40 Ø20 - POS 2 - 1/2 GAS FASTENING - GRANITE / QUARTZ
 018155 - PROFILE CUTTER Z40 Ø20 - POS 3 - 1/2 GAS FASTENING - GRANITE / QUARTZ
 018156 - PROFILE CUTTER Z40 Ø20 - POS 4 - 1/2 GAS FASTENING - GRANITE / QUARTZ
 018157 - PROFILING WHEEL Z40 Ø20 - POS 6 - 1/2 GAS FASTENING - GRANITE / QUARTZ
 018158 - PROFILING WHEEL Z40 Ø20 - POS 7 - 1/2 GAS FASTENING - GRANITE / QUARTZ

GRANITE

Fixing : 1/2 GAZ

K0000 325

SET OF Z30 PROFILE TOOLS Ø60 - BORE ATTACHMENT Ø35 - GRANITE / QUARTZ



Ø : 60 / L : 35 / Ep : 35 / Lc : 35

017790 - PROFILE CUTTER Z30 Ø60 - POS 1 - Ø35 BORE FASTENING - GRANITE / QUARTZ
 017791 - PROFILE CUTTER Z30 Ø60 - POS 2 - Ø35 BORE FASTENING - GRANITE / QUARTZ
 017792 - PROFILE CUTTER Z30 Ø60 - POS 3 - Ø35 BORE FASTENING - GRANITE / QUARTZ
 017880 - PROFILE CUTTER Z30 Ø60 - POS 4 - Ø35 BORE FASTENING - GRANITE / QUARTZ
 017793 - PROFILING WHEEL Z30 Ø60 - POS 6 - Ø35 BORE FASTENING - GRANITE / QUARTZ
 017794 - PROFILING WHEEL Z30 Ø60 - POS 7 - Ø35 BORE FASTENING - GRANITE / QUARTZ

GRANITE

Fixing : Ø35

K0000 280

SET OF Z30 Ø20 PROFILE TOOLS - ATTACHMENT 1/2 GAS - DEKTON / CERAMIC



Ø : 20 / L : 35 / Ep : 35 / Lc : 35

021068 - PROFILE CUTTER Z30 Ø20 - POS 1 - 1/2 GAS FASTENING - DEKTON / CERAMIC
 021069 - PROFILE CUTTER Z30 Ø20 - POS 2 - 1/2 GAS FASTENING - DEKTON / CERAMIC
 021070 - PROFILE CUTTER Z30 Ø20 - POS 3 - 1/2 GAS FASTENING - DEKTON / CERAMIC
 025128 - PROFILE CUTTER Z30 Ø20 - POS 4 - 1/2 GAS FASTENING - DEKTON / CERAMIC
 018157 - PROFILING WHEEL Z40 Ø20 - POS 6 - 1/2 GAS FASTENING - GRANITE / QUARTZ
 018158 - PROFILING WHEEL Z40 Ø20 - POS 7 - 1/2 GAS FASTENING - GRANITE / QUARTZ

DEKTON

Fixing : 1/2 GAZ

K0000 469

SET OF Z40 Ø20 PROFILE TOOLS - ATTACHMENT 1/2 GAS - DEKTON / CERAMIC




Ø : 20 / L : 45 / Ep : 45 / Lc : 45

021062 - PROFILE CUTTER Z40 Ø20 - POS 1 - 1/2 GAS FASTENING - DEKTON / CERAMIC
 021063 - PROFILE CUTTER Z40 Ø20 - POS 2 - 1/2 GAS FASTENING - DEKTON / CERAMIC
 021064 - PROFILE CUTTER Z40 Ø20 - POS 3 - 1/2 GAS FASTENING - DEKTON / CERAMIC
 021065 - PROFILE CUTTER Z40 Ø20 - POS 4 - 1/2 GAS FASTENING - DEKTON / CERAMIC
 018157 - PROFILING WHEEL Z40 Ø20 - POS 6 - 1/2 GAS FASTENING - GRANITE / QUARTZ
 018158 - PROFILING WHEEL Z40 Ø20 - POS 7 - 1/2 GAS FASTENING - GRANITE / QUARTZ

DEKTON

Fixing : 1/2 GAZ

K0000 468



SAWING

DRILLING

ROUTING

MILLING

GROOVING

POLISHING


PROFILING

TOOL HOLDER

TOP 50

TOOL HOLDER

AR3 SATELLITE TEXTURING HEAD WITH BT40, 3 TOOL HOLDERS FOR POLISHING, BRUSHING....



Ø : 200 / L : / Ep : / Lc :

It allows the polishing of flat surfaces, straight or inclined edges, straight or leaking bevels...
1 Ø 215 mm head equipped with a BT40 cone, quick mounting type FRF of the 3 abrasive or diamond-shaped grinding wheels Ø100 mm
Important: Maximum height of the grinding wheels to be used 70 mm.
Note: This head is only used for polishing.

Fixing : BT40

AS 00 227

BT40 TOOL HOLDER - 1/2 GAS ATTACHMENT - L45 - Ø15 PULL STUD



Ø : 50 / L : 45 / Ep : / Lc :

Tool holder chuck for routing cutter, drilling drill or slotting cutter attachment.

Fixing : 1/2 GAZ

A400 73 01 000

BT40 TOOL HOLDER - Ø35 BORE ATTACHMENT - Ø15 PULL STUD



Ø : 50 / L : 45 / Ep : / Lc :

Tool holder chuck for profile or support milling cutter fixture to be calibrated.

Fixing : Ø35

A400 73 03 000

BT40 TOOL HOLDER - 1/2 GAS ATTACHMENT + Ø35 BORE - Ø15 PULL STUD



Ø : 50 / L : 160 / Ep : / Lc :

Tool holder chuck for fixing a calibration or disc cutter for shaping.

Fixing : Ø35 - 1/2 GAZ

A400 73 40 000

BT40 TOOL HOLDER - Ø60 BORE (6×M8/Ø100) ATTACHMENT - Ø15 PULL STUD



Ø : 118 / L : 115 / Ep : / Lc :

Tool holder for fixing a calibrating tool or a disc cutter for shaping.

Fixing : VISSERIE

A400 73 48 000



CATALOG 2026



www.tsbfrance.com



+33 (0) 231 666 827

adv@tsbfrance.com

Avenue de Bischwiller
14500 Vire, FRANCE